

GPRO 2016 "Cheat Sheet"

GPRO Measures	Measure Name	Age Criteria	Measurement Period	Denominator Exclusions	Denominator Exceptions	Measure Caveats
CARE-2	Screening for Future Fall Risk	≥ 65 yrs	1/1/2016 - 12/31/2016	None	Medical reasons (e.g. patient not ambulatory, wheelchair bound)	<ul style="list-style-type: none"> • Must include documentation of assessment; • "No falls" is sufficient
CARE-3	Documentation of Current Medications in the Medical Record	≥ 18 yrs	1/1/2016 - 12/31/2016	None	Medical reasons (patient is in an urgent or emergent medical situation where time is of the essence)	<ul style="list-style-type: none"> • Must be documented at every visit. • Must include name, dosage, frequency, and route. • Also report if not taking any medications (should be documented in medical record).
CAD-7	ACE/ARB for CAD: Diabetes (DM) OR LVSD	≥ 18 yrs	DM - 1/1/2016 - 12/31/2016; LVSD - anytime in patient's history	None	Medical reasons, patient reasons, or system reasons (e.g. allergy, patient declined, lack of drug availability)	<ul style="list-style-type: none"> • LVSD = LVEF < 40% or described in the chart as "moderate" or "severe" LVSD • Requires active diagnosis of CAD with DM and/or LVSD <u>at any time in their history</u> who was prescribed or already taking ACE/ARB during MP.
DM-2	Hemoglobin A1c Poor Control (> 9%)	≥ 18 & ≤ 75 yrs	1/1/2016 - 12/31/2016	None	Medical reasons, patient reasons, or system reasons (e.g. gestational diabetes)	<ul style="list-style-type: none"> • Must have documented history or active diagnosis of DM during MP or year prior • Use most recent value
DM-7	Eye Exam	≥ 18 & ≤ 75 yrs	Retinal or dilated eye exam - 1/1/2016 - 12/31/2016 OR Negative retinal eye exam - 1/1/2015 - 12/31/2015	None	None	<ul style="list-style-type: none"> • Must be performed or reviewed by an ophthalmologist or optometrist
HF-6	Beta-blocker Therapy for LVSD	≥ 18 yrs	Beta blocker ordered or being taken - 1/1/2016- 12/31/2016 LVSD - any time in patient's history	None	Medical reasons, patient reasons, or system reasons (e.g. low BP, allergy, patient declined, other reasons attributable to healthcare system)	<ul style="list-style-type: none"> • Requires active diagnosis of HF up through 12/31/16 • Only bisoprolol, carvedilol, sustained release metoprolol, and their brand-name equivalents are accepted for this measure. • LVSD = LVEF < 40% or described in the chart as "moderate" or "severe" LVSD. • Prescriptions can be given in either the inpatient and outpatient setting.

GPRO 2016 "Cheat Sheet"

GPRO Measures	Measure Name	Age Criteria	Measurement Period	Denominator Exclusions	Denominator Exceptions	Measure Caveats
HTN-2	Controlling High Blood Pressure	≥ 18 & ≤ 85 yrs	1/1/2016-12/31/2016	End-stage renal disease (ESRD), dialysis, history of renal transplant, pregnancy, and stage 5 chronic kidney disease (CKD)	None	<ul style="list-style-type: none"> • Documented essential HTN within first 6 mos of MP or at any time prior to MP but not ending before start of MP. • Use most recent BP or lowest if multiple readings
IVD-2	Use of ASA or Another Antithrombotic	≥ 18 yrs	AMI, CABG, PCI - 1/1/2015 - 12/31/2015 IVD - 1/1/2016-12/31/2016	None	None	<ul style="list-style-type: none"> • Discharged for AMI, CABG or PCI within 12 mos before MP or active diagnosis of IVD during MP • Only ASA, clopidogrel, ASA with extended release dipyridamole, prasugrel, ticagrelor, ticlopidine, and their brand-name equivalents are accepted for this measure.
MH-1	Depression Remission at Twelve Months	≥ 18 yrs	PHQ-9 > 9 - 12/1/2014 - 11/30/2015 PHQ-9 < 5 - 1/1/2015 - 12/31/2015 (+/- 30 days)	Permanent nursing home residents, active diagnosis of either bipolar or personality disorder	None	<ul style="list-style-type: none"> • First instance of PHQ-9 > 9 between 12/1/2014 - 11/30/2015 and a diagnosis of depression or dysthymia • Follow-Up PHQ-9 < 5 during outpatient encounter between 1/1/2015 - 12/31/2015 (+/- 30 days).
PREV-5	Breast Cancer Screening	≥ 50 - ≤ 74 yrs	Age 50 - 51 yrs - 1/1/2016 - 12/31/2016 Age 52 - 74 yrs - 10/1/2014 - 12/31/2016	Bilateral mastectomy or two (2) unilateral mastectomies	None	<ul style="list-style-type: none"> • Ages 50-51 - only look back to age 50. • Ages 52-74 - look back 27-months • Includes breast x-ray and mammogram • Excludes 3D mammography, MRI and ultrasound • Must document date of screening and results/findings. • "Normal" or "abnormal" is acceptable.

GPRO 2016 "Cheat Sheet"

GPRO Measures	Measure Name	Age Criteria	Measurement Period	Denominator Exclusions	Denominator Exceptions	Measure Caveats
PREV-6	Colorectal Cancer Screening	≥ 50 - ≤ 75 yrs	FOBT - 1/1/2016 - 12/31/2016 Flex Sig - 1/1/2016 - 12/31/2016 or 4 years prior Scope - 1/1/2016-12/31/2016 or 9 years prior	Diagnosis or past history of total colectomy or colorectal cancer	None	<ul style="list-style-type: none"> • Test performed defines the measurement period. • Must document date of screening and results/findings. • "Normal" or "abnormal" is acceptable. • FOBT - Fecal Occult Blood Test • Flex Sig - Flexible Sigmoidoscopy • C-Scope - Colonoscopy
PREV-7	Influenza Immunization	≥ 6 mos	8/1/2015 - 3/31/2016	None	Medical reasons, patient reasons, or system reasons (e.g. patient allergy, patient declined, vaccine unavailable.)	<ul style="list-style-type: none"> • Immunization must be given between 8/1/2015 - 3/31/2016.
PREV-8	Pneumonia Vaccination Status for older adults	≥ 65 yrs	Any time prior to 12/31/2016	None	None	<ul style="list-style-type: none"> • Must document date of administration and type of vaccine given
PREV-9	BMI Assessment and Follow-up plan	≥ 18 yrs	1/1/2016 - 12/31/2016	Pregnancy, Patient unable to stand	Medical reasons or patient reasons (e.g. patient in emergent medical situation or patient refuses)	<ul style="list-style-type: none"> • Self-reported weights cannot be used. • BMI during most recent visit or 6 months prior to most recent visit. • If abnormal - <i>either above or below the normal range</i> - follow-up plan must be documented during encounter or in prior 6 months. • Follow-up plan - education, referral, pharmacological interventions, dietary supplements, exercise or nutrition counseling, etc.
PREV-10	Tobacco Use Screening and Cessation Intervention	≥ 18 yrs	1/1/2015-12/31/2016	None	Medical reasons (e.g. limited life expectancy)	<ul style="list-style-type: none"> • Confirm pt screened for tobacco at least once within 24 mos. • If positive, confirm pt received Tobacco Cessation Intervention • Tobacco Cessation Intervention - ≤ 3 mins of brief counseling and/or pharmacotherapy

GPRO 2016 "Cheat Sheet"

GPRO Measures	Measure Name	Age Criteria	Measurement Period	Denominator Exclusions	Denominator Exceptions	Measure Caveats
PREV-11	Screening for High Blood Pressure and Follow-up Documented	≥ 18 yrs	1/1/2016-12/31/2016	Active Diagnosis of Hypertension (HTN)	Medical reasons or patient reasons (e.g. patient in emergent medical situation)	<ul style="list-style-type: none"> • Confirm pt screened for high BP during MP. • Refer to <i>2016 PREV Data Guidance</i> (pg. 25) for recommended BP follow-up interventions based on BP classification. • Pt reported BPs are not accepted.
PREV-12	Screening for Clinical Depression and Follow-up Plan	≥ 12 yrs	1/1/2016 - 12/31/2016	Active diagnosis of depression or bipolar disorder	Medical reasons or patient reasons (e.g. patient in emergent medical situation or patient refuses)	<ul style="list-style-type: none"> • Confirm screened for clinical depression with age appropriate standardized tool during MP. See pg. 30-31 of <i>2016 PREV Data Guidance</i> for list of screening tool examples. • Must document name of tool used and that results reviewed/verified. • If positive, confirm follow-up plan present during MP. See <i>2016 PREV Data Guidance</i> (pg. 32) for possible plan components.
PREV-13	Statin Therapy for the Prevention and Treatment of Cardiovascular Disease	≥ 21 yrs	ASCVD, LDL-C ≥ 190 mg/dL - any time through 12/31/2016 LDL-C 70 - 189 mg/dL - 1/1/2014 - 12/31/2016	None	Medical reasons or patient reasons or most recent fasting or direct LDL-C was < 70 mg/dL for DM diagnosis currently receiving statin therapy	<ul style="list-style-type: none"> • Confirm active diagnosis or history of ASCVD diagnosis at any time through 12/31/2016. See pg 34 of <i>2016 PREV Data Guidance</i> for list of ASCVD synonyms. • Confirm ever had fasting or direct LDL-C ≥ 190 mg/dL. • If 40 - 75 yrs, confirm Type 1 or 2 DM. • Confirm LDL-C level of 70 - 189 mg/DL during MP or during 2 yrs prior to start of MP. • Confirm pt taking or was prescribed statin during MP